



## China abec 5 Bearings Supplier



6928 Bearing 2D drawings and 3D CAD models

Imported bearing NSK 6928 ZZ ZFS M Japan bearing

Bearing No. 6928

Size	140x190x24 mm
Bore Diameter	140 mm
Outer Diameter	190 mm
Width	24 mm
d	140 mm
D	190 mm
B	24 mm
C	24 mm
r min.	1,5 mm
da min.	148 mm
da max	153,5 mm
Da max.	182 mm
ra max.	1,5 mm
Weight	1,67 Kg
Basic dynamic load rating (C)	66,5 kN
Basic static load rating (C0)	72 kN
(Grease) Lubrication Speed	3 200 r/min
(Oil) Lubrication Speed	3 800 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	1.98
EAN	0029176066832
Product Group	B00308



## China abec 5 Bearings Supplier

Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	140MM Bore; 190MM Outside Diameter; 24MM Outer Race Width; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Other Features	Deep Groove
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.nskamericas.com">http://www.nskamericas.com</a>
Weight / LBS	3.6824
Outer Race Width	0.945 Inch   24 Millimeter
Outside Diameter	7.48 Inch   190 Millimeter
Bore	5.512 Inch   140 Millimeter
Inner Race Width	0 Inch   0 Millimeter
SRI	7.8
hidYobi	6928
LangID	1



## China abec 5 Bearings Supplier

D_	190
SREX	0.03
B_	24
da min	148
hidTable	ecat_NSRDGB
Oil rpm	3800
SRE	7.8
mass	1.67
GRS rpm	3200
ra	1.5
SRIX	0.03
D_a	182
SRIN	-0.03
C0	72
fo	16.6
SREN	-0.03
DE_	180.081
Prod_Type3	DGGB_SR_OT
DA_	15.081
bomp	0
Z_	19
yobi	6928
C_conv	66500
ALPHA_	0
SDM_	165
r	1.5
KBRG	6101
SBRG	19
DI_	149.919