



## China abec 5 Bearings Supplier



go kart bearing NSK 6306DDU 30\*72\*19mm  
deep groove ball bearing

Bearing No. 6306DDU

6306DDU Bearing 2D drawings and 3D CAD models

Size	30x72x19 mm
Bore Diameter	30 mm
Outer Diameter	72 mm
Width	19 mm
d	30 mm
D	72 mm
B	19 mm
C	19 mm
r min.	1,1 mm
da min.	36,5 mm
da max	42,5 mm
Da max.	65,5 mm
ra max.	1 mm
Weight	0,345 Kg
Basic dynamic load rating (C)	26,7 kN
Basic static load rating (C0)	15 kN
(Grease) Lubrication Speed	6 700 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.345
EAN	0029176065552
Product Group	B00308
Enclosure	2 Seals



## China abec 5 Bearings Supplier

Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	30MM Bore; 72MM Outside Diameter; 19MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage;
Other Features	Deep Groove   Rubber Seal
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.nskamericas.com">http://www.nskamericas.com</a>
Manufacturer Item Number	6306DDU
Weight / LBS	0.76058
Bore	1.181 Inch   30 Millimeter
Outside Diameter	2.835 Inch   72 Millimeter
Outer Race Width	0.748 Inch   19 Millimeter
Inner Race Width	0 Inch   0 Millimeter
SRI	6.01
hidYobi	6306DDU



## China abec 5 Bearings Supplier

LangID	1
D_	72
SREX	0.05
B_	19
da min	36.5
hidTable	ecat_NS RDGB
SRE	6.25
mass	0.345
GRS rpm	6700
ra	1
SRIX	0.025
D_a	65.5
SRIN	0
C0	15
fo	13.3
SREN	0
DE_	63.906
Prod_Type3	DGBB_SR_DD
DA_	11.906
bomp	0
Z_	8
yobi	6306DDU
C_conv	26700
ALPHA_	0
SDM_	52
r	1.1
KBRG	6161
SBRG	3
DI_	40.094